



LIGHTRACKING (WS TYPE) INSTALLATION MANUAL





LIGHT RACKING (TYPE WS)

More delicate and discreet than our heavy storage systems the light storage (Type WS) still offers what you need. It can replace our standard commercial shelves in retail stores, grocery stores or mini-warehouses. It provides higher load capacity than shelving system without the appearance of a heavy storage system.

LIGHT RACKING WS

Depth range: 24"- 30"- 36"- 42"- 48"

Height of uprights:

48"- 54"- 60"- 66", etc... (in 6" increments)

RACKING BEAM

Types and size of beams: box 2", step 2 1/4" e t 3"




Beam lengths:

48"- 54"- 60"- 66"- 72"- 78"- 84"- 90"- 96"- 102"- 108"- 114"- 120"


Transversal channels = 20Ga.

Longitudinal channels = 16Ga.


Frame = 14 Ga.




DETAIL B



DETAIL C




DETAIL C



MANUFACTURED IN WIDTH OF:
24", 30", 36", 42" AND 48"

AVAILABLE IN THE FOLLOWING HEIGHTS:
48", 54", 60", 66", 72", 84", 90", 96" AND 102"




ADJUSTABLE BY INCHES



ETALEX

NOTES





WWW.ETALEX.CA

CONTACT US

ANJOU PLANT

8501, Jarry Street East,
Montreal, QC H1J 1H7

T 514 351-2000

TF 1 800 351-3125

SAINT-BRUNO PLANT

1299, Marie-Victorin,
St-Bruno, QC J3V 6B7

T 450 653-1299

TF 1 888 224-BONI



FACEBOOK/ETALEX



LINKEDIN/ETALEX



YOUTUBE/ETALEX

MADE IN CANADA

