



S SERIES
COMMERCIAL SHELVING





S SERIES SHELVING

S Series shelving really delivers by combining a multi-part post with unbeatable rigidity. Available with either high base 7" or low base with detachable base shelf and our ingenious locking assembly. As a result, it costs a lot less for you to change your aisle layouts. The backs are made of solid or perforated masonite and are available in the most popular colours. From dollar stores to supermarkets, it's an excellent choice. The best store shelves systems for your business.

TECHNICAL SPECIFICATIONS

Post height: 48"- 120" (in increments of 6")

Base shelf: 6"- 30" deep (in increments of 2")

Width: 24"- 48" (in increments of 6")

Base shelf height:
5" H. (from floor to the top of the low base shelf)
7 1/4" H. (from floor to the top of the high base shelf)

Rear back options:
Masonite (plain or Perforated), wire mesh & Slatwall



OPTIONAL BACKS



PERFORATED MASONITE



PLAIN MASONITE



SLATWALL

BASE SHELF OPTIONS




OPEN KICKPLATE



CLOSED KICKPLATE


STRUCTURE - S SERIES



POST AND SHOE


HD POST

ITEM: 2010453XX
FORMAT: 2 7/8" X 1 1/4"



END CAP REQUIRED ONLY ON END POLES.

UPRIGHT END COVER




IN INCREMENTS OF 6"
36" TO 96"
+
108"
ITEM: 201010XX

SHOE

ITEM: 2040101XX
HEIGHT: 43/8"

ITEM:
2040100XX
HEIGHT: 57/8"

AUTO-BLOCKING SAFETY PIN




REMOVABLE SHOE WITH AUTO-BLOCKING SAFETY PIN AND WIRE FEED.

SHOE AND KICK PLATE

SHOE COVER

ITEM: 2040410XX RIGHT / 2040411XX LEFT
HEIGHT: 63/4" (BOTTOM)
ITEM: 2040400XX RIGHT / 2040401XX LEFT
HEIGHT: 81/4" (TOP)




OPEN KICK PLATE

ITEM: 2050151XX = 63/4" (BOTTOM) / 2050150XX = 81/4" (TOP)
OPEN KICK PLATE FOR EASY CLEANING UNDER THE SHELF.

CLOSED KICK PLATE


ITEM: 2050101XX = 63/4" (BOTTOM) / 2050100XX = 81/4" (TOP)
CLOSED KICK PLATE (WITH HOLE FOR ELECTRIC PLUG).



SHELVES

BASE SHELF


ITEM: 20302PPLL



COMES WITH WELDED BACK FASTENERS.
STANDARD 1 1/4" LABEL HOLDER
AND FOUR ROWS OF HOLES FOR DIVIDERS.

UPPER SHELF


ITEM: 00301PPLL



BRACKET NOT INCLUDED. SHELF WITH WELDED REINFORCEMENTS.
STANDARD 1 1/4" LABEL HOLDER. OPTION WITH WELDED SUPPORTS AVAILABLE.

BRACKETS


11 GA (0.121")



2 POSITION BRACKET

LENGTH	PRODUCT CODE	THICKNESS
6"	210010006	0.121"
8"	210010008	0.121"
12"	210010012	0.121"


12 GA (0.099")



3 POSITION BRACKET

10"	210020010	0.099"
12"	210020012	0.099"
14"	210020014	0.099"


12 GA (0.099")




3 POSITION BRACKET

16"	210020016	0.099"
18"	210020018	0.099"
20"	210020020	0.121"
22"	210020022	0.121"
24"	210020024	0.121"
26"	210020026	0.121"

11 GA (0.121")



#LASER	REV	LENGTH	PRODUCT CODE	THICKNESS
SUPP-210050022-36X		22"	210050022	0.121"
		24"	210050024	0.121"
		26"	210050026	0.121"
210050028RA-36X	A	28"	210050028	0.121"
210050030RA-36X	A	30"	210050030	0.121"
210050036RA-28X	A	36"	210050036	0.121"






ASSEMBLY


PLAIN MASONITE BACK

ITEM: PLB05 HH LL
THICKNESS = 1/4"




PERFORATED MASONITE BACK

ITEM: PEB05 HH LL
THICKNESS = 1/4"



SLATWALL BACK





HEIGHT = NOMINAL - 65/8"
LENGTH = NOMINAL - 17/16"
THICKNESS = 3/4"



LENGTH: IN INCREMENTS OF 6" / 24" À 48"
HEIGHT: IN INCREMENTS OF 6" / 36" À 96" + 108", 120"

GRID OF THE MASONITE CHART				
NOMINAL HEIGHT POST IN INCHES	NOMINAL HEIGHT 1ST BACK IN INCHES	NOMINAL HEIGHT 2ND BACK IN INCHES	TOP CROSS-BAR QUANTITY NEEDED	INTERMEDIATE CROSS-BAR QUANTITY NEEDED
36"	30"	-	-	1
42"	36"	-	-	1
48"	42"	-	-	1
54"	48"	-	-	1
60"	54"	-	-	1
66"	60"	-	-	1
72"	66"	-	-	1
78"	48"	24"	1	1
84"	48"	30"	1	1
90"	48"	36"	1	1
96"	48"	42"	1	2
108"	48"	54"	1	2
120"	48"	60"	1	2
HEIGHT = NOMINAL - 1/8" / LENGTH = NOMINAL - 17/16" / THICKNESS = 1/4"				

ASSEMBLY

CROSS-BARS LENGTH: 24", 30", 36", 42", 48"	FOR MASONITE BACK	FOR SLATWALL BACK
TOP CROSS-BAR CLOSES THE TOP OF A SECTION	 ITEM: 2070100XX	 ITEM: 2070105XX
INTERMEDIATE CROSS-BAR TO SUPPORT THE BACK (HOLES FOR WIRING)	 ITEM: 2070400XX	 ITEM: 2070420XX
CENTER CROSS-BAR FOR BACK SECTION MASONITE ONLY. SERVES AS A SEAL BETWEEN THE PANELS	 ITEM: 2070300XX	
INFERIOR CROSS-BAR SUPPORTS BACK AT THE BASE	 ITEM: 2070200XX	 ITEM: 2070230XX




ASSEMBLY

T CAP

3 PIECES
(INCLUDES # 1, 2 AND 3)

FOR HEIGHT OF 72"
AND/OR FOR HEAVY USAGE


LENGTH :
24", 30", 36", 42", 48"



FINISHING CAP

2 PIECES
(INCLUDES # 1, AND 4)

FOR HEIGHT OF 72"
AND/OR FOR LIGHT USAGE




Attache cap

FLOOR RETAINING BASEBOARD

FOR END OF WALL UNITS
0050810XX

LENGTH :
24", 30", 36", 42", 48"






ASSEMBLY

WALL ANCHORING

INSTALL THE WALL ANCHOR BRACKET AT THE TOP OF EACH POST. INSERT THE TOOTH OF THE ANCHOR IN THE FIRST SLOT FROM THE BACK BY TURNING IN THE POSITION AND SECURE IT WITH THE WOOD SCREW NO 8 X 1 1/2" L X 2".

WOOD SCREW PAN SOCKET
NO 8 X 1 1/2" L X 2"



WALL ANCHOR
AGAINST THE
WOOD BLOCK

OTHER OPTION: THE WALL ANCHOR BAR IS REQUIRED FOR ALL WALL UNITS, TO
LIMIT FORWARD DEFLECTION.




Wood block
2" X 4"

Wall anchor bar
(Item#11)

Wall

Self tapping pin
socket no 8 x 1" L
(item#12)


FIXING THE BLOCK TO THE WALL STUDS



BLOCK
2" X 4"

Corner
attachment for
concrete


Concrete



BLOCK
2" X 4"

Auto thread
screw in solid
material


Masonry
(Bloc of concrete,
brick, etc)



BLOCK
2" X 4"

Compression
screw for each
wood stud

Wall with
wood studs



BLOCK
2" X 4"

Self tapping
screw for
dry-wall to each
metal stud


Wall with
metal studs

ASSEMBLY

ADJUST THE BASE FOOT LEVELING SCREW AT 3/4" AND THE UPRIGHT POST LEVELING SCREW AT 1/2".

FOOT LOCKING PIN


INSTALL THE BASE SHOE AT THE BOTTOM OF THE POST (UPRIGHT). INSERT THE TEETH INTO THE SLOTS AND APPLY PRESSURE BY PUSHING DOWN THE BASE SHOE UNTIL THE LOCKING PIN IS ENGAGED.



INSTALL THE CROSS-BARS AND THE MASONITE BACKS

- 1- INSERT THE TEETH OF THE BOTTOM CROSS-BAR INTO THE LOWER POSITION OF THE UPRIGHT SLOTS.
- 2- SLIDE IN THE MASONITE BACK AND INSTALL THE INTERMEDIATE CROSS-BAR IN THE MIDDLE REAR OF THE BACK.
- 3- INSTALL THE CENTER CROSS-BAR BEFORE SLIDING THE LAST MASONITE BACK IN PLACE AND INSTALL THE TOP CROSS-BAR .

NOTE:
SLIDE MASONITE BACKS IN PLACE SLOWLY.
DO NOT DROP!



NOTE:
120" SECTION AND +
108" POST + EXTENSION

ASSEMBLY


GRID OF THE MASONITE CHART

POST	FIRST MASONITE	SECOND MASONITE	CENTRAL CROSS-BAR	INTERMEDIATE CROSS-BAR
HEIGHT	HEIGHT	HEIGHT	QUANTITY	QUANTITY
32"	29 ⁵ / ₈ "	-	-	1
	29 ⁵ / ₈ "	-	-	1
	29 ⁵ / ₈ "	-	-	1
36"	29 ⁵ / ₈ "	-	-	1
	29 ⁵ / ₈ "	-	-	1
	29 ⁵ / ₈ "	-	-	1
42"	35 ⁵ / ₈ "	-	-	1
	35 ⁵ / ₈ "	-	-	1
	41 ⁵ / ₈ "	-	-	1
48"	41 ⁵ / ₈ "	-	-	1
	41 ⁵ / ₈ "	-	-	1
	47 ⁵ / ₈ "	-	-	1
54"	47 ⁵ / ₈ "	-	-	1
	47 ⁵ / ₈ "	-	-	1
	47 ⁵ / ₈ "	-	-	1
60"	53 ⁵ / ₈ "	-	-	1
	53 ⁵ / ₈ "	-	-	1
	53 ⁵ / ₈ "	-	-	1
66"	59 ⁵ / ₈ "	-	-	1
	59 ⁵ / ₈ "	-	-	1
	59 ⁵ / ₈ "	-	-	1
72"	65 ⁵ / ₈ "	-	-	1
	65 ⁵ / ₈ "	-	-	1
	65 ⁵ / ₈ "	-	-	1
78"	23 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
	23 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
	23 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
84"	29 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
	29 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
	29 ⁷ / ₈ "	47 ⁵ / ₈ "	1	1
90"	35 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
	35 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
	35 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
96"	41 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
	41 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
	41 ⁷ / ₈ "	47 ⁵ / ₈ "	1	2
108"	47 ⁵ / ₈ "	53 ⁷ / ₈ "	1	2
	47 ⁵ / ₈ "	53 ⁷ / ₈ "	1	2
	47 ⁵ / ₈ "	53 ⁷ / ₈ "	1	2
120"	47 ⁵ / ₈ "	65 ⁷ / ₈ "	1	3
	47 ⁵ / ₈ "	65 ⁷ / ₈ "	1	3
	47 ⁵ / ₈ "	65 ⁷ / ₈ "	1	3


ACCESSORIES




ITEM T CAP



ITEM STRAIGHT BRACKET
LENGTH 6" - 30"
(IN INCREMENTS OF 2")



ITEM SLOPED BRACKET
LENGTH 10" - 30"
(IN INCREMENTS OF 2")




ITEM WIRE FENCE - 2 1/2" H
LENGTH 24" - 30" - 36" - 48"




ITEM WIRE DIVIDER
LENGTH 6" - 24"
(IN INCREMENTS OF 2")



ITEM SUBDIVIDER
LENGTH 4" - 6"



ITEM WIRE SHELF
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 16" - 24" (IN INCREMENTS OF 2")



ITEM WIRE SHELF WITH MOLDING
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 16" - 24" (IN INCREMENTS OF 2")



ITEM FLIP SCAN HOOK
LENGTH 4" - 6" - 8" - 10" - 12"



ITEM SINGLE HOOK
LENGTH 4" - 6" - 8" - 10" - 12"




ITEM SLATWALL HOOK
LENGTH 4" - 6" - 8" - 10" - 12"




ITEM HOOK FOR TUBE
LENGTH 4" - 6" - 8" - 10" - 12"



ITEM WIRE BASKET
(VARIOUS DIMENSIONS)




ITEM CHROME WIRE BASKET (NO ENDS)
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 10" - 12" - 14" - 16" - 18"



ITEM SOFT DRINK SHELF
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 6" - 30" (IN INCREMENTS OF 2")




ITEM SHELF WITH SEPARATORS
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 6" - 30" (IN INCREMENTS OF 2")




ITEM ROUND CORNER SHELF
LENGTH 24" - 30" - 36" - 48" (LENGTH)
DEPTH 16" - 24" (IN INCREMENTS OF 2")




ACCESSORIES



ITEM SIGN HOLDER
LENGTH 24" - 30" - 36" - 48"




ITEM EXTENDED BAR
LENGTH 1" - 4" - 6" - 8" - 10" - 12"




ITEM EXTENDED METAL BACK
WIDTH 24" - 30" - 36" - 48" (VARIOUS HEIGHTS)



ITEM POST EXTENSION
VARIOUS HEIGHTS



ITEM FINISHING CAP (S SERIES)
ITEM POST EXTENSION



ITEM SLOPED SHELF
LENGTH 6" - 8" - 10" - 12" - 14" - 16" - 18" (DEPTH)
LENGTH 24" - 48" (IN INCREMENTS OF 6")




ITEM SLATWALL SHELF
LENGTH 8" - 10" - 12" (DEPTH)


ACCESSORIES




ITEM STRAIGHT CROSSBAR
LENGTH 6" - 8" - 10" - 12"




ITEM 5 BALL CROSSBAR
LENGTH 6" - 8" - 10" - 12"



ITEM 7 BALL CROSSBAR
LENGTH 6" - 8" - 10" - 12"




ITEM SLATWALL BACK
WIDTH 24" - 30" - 36" - 48"L X VARIOUS HEIGHTS



ITEM PERFORATED BACK (METAL OR MASONITE)
WIDTH 24" - 30" - 36" - 48"L X VARIOUS HEIGHTS




ITEM PLAIN BACK (METAL OR MASONITE)
WIDTH 24" - 30" - 36" - 48"L X VARIOUS HEIGHTS



ITEM WIRE MESH BACK
WIDTH 24" - 30" - 36" - 48"L X VARIOUS HEIGHTS



ITEM STRAIGHT METAL SHELF
LENGTH 6" - 8" - 10" - 12" - 14" - 16" - 18" (DEPTH)
LENGTH 24" - 48" (IN INCREMENTS OF 6")



ITEM "BULLNOSE" METAL SHELF
LENGTH 6" - 8" - 10" - 12" - 14" - 16" - 18" (DEPTH)
LENGTH 24" - 48" (IN INCREMENTS OF 6")



WWW.ETALEX.CA

CONTACT US

ANJOU PLANT

8501, Jarry Street East,
Montreal, QC H1J 1H7

T 514 351-2000

TF 1 800 351-3125

SAINT-BRUNO PLANT

1299, Marie-Victorin,
St-Bruno, QC J3V 6B7

T 450 653-1299

TF 1 888 224-BONI



FACEBOOK/ETALEX



LINKEDIN/ETALEX



YOUTUBE/ETALEX

MADE IN CANADA

